



**Amendment Under 37 C.F.R. § 1.116
Expedited Procedure – Art Unit 2816**

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

TRUONG *et al.*

Appl. No.: 10/669,659

Filed: September 25, 2003

For: **Clock Generator With
Programmable Non-Overlapping-
Clock-Edge Capability**

Confirmation No.: 5208

Art Unit: 2816

Examiner: Tuan Thieu Lam

Atty. Docket: SP047.C9 (1397.0250009)

Amendment and Reply Under 37 C.F.R. § 1.116

Mail Stop AF

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

In reply to the Office Action dated September 22, 2004, Applicants submit the following Amendment and Remarks. This Amendment is provided in the following format:

- (A) Each section begins on a separate sheet;
- (B) Starting on a separate sheet, amendments to the specification by presenting replacement paragraphs marked up to show changes made;
- (C) Starting on a separate sheet, a complete listing of all of the claims:
 - in ascending order;
 - with status identifiers; and
 - with markings in the currently amended claims;
- (D) Starting on a separate sheet, the Remarks.

It is not believed that extensions of time or fees for net addition of claims are required beyond those that may otherwise be provided for in documents accompanying this paper. However, if additional extensions of time are necessary to prevent abandonment of this application, then such extensions of time are hereby petitioned under 37 C.F.R. § 1.136(a), and any fees required therefor (including fees for net addition of claims) are hereby authorized to be charged to our Deposit Account No. 19-0036.